

CAL-CERT™
CALIBRATION CERTIFICATION



Measure The Difference™



6709 SE Lake Road
Milwaukie, OR 97222

1-800-356-4662

e-Specials

December 2011

TMi



Calibration and
Sales of Testing
Equipment
Accredited to
ISO/IEC 17025

Cal-Cert is
Accredited to
perform the
following
calibrations:

Dimensional

Temperature &
Humidity

Pressure &
Vacuum

Force
(Compression &

Curing Tank Heater



- 110 VAC
- 1000 watts
- Adjustable thermostat
- Incolloy-shielded heating element
- Stainless steel construction
- Thermostatically controlled
- 3 Pronged Grounded plug

ACM-TH-100 **\$147.00 each**

Curing Tank Circulating Pump



- 1/160 HP
- 115 VAC

ACM-TP-Pump **\$64.00 each**

Mass

**Torque Wrenches
(0 to 1000 lbft)**

**Rockwell &
Brinnell Hardness**

Electrical - DC/LF

See our Scope at:
www.cal-cert.com

*Call or Email Toby
today to schedule
your calibrations*

800-356-4662
503-654-9620
tobys@cal-cert.com



**DIGITAL RETROFIT
SPECIALS
STARTING AT
\$1,200.00**



**CALL FOR
FURTHER
INFORMATION**

<http://www.cal-cert.com>

**Toll Free:
800-356-4662**

Delta Traks Waterproof Digital Pocket Max/Min Thermometer

Waterproof housing - completely submersible --- Selectable °C / °F --- Can be auto calibrated --- See through probe cover with pocket clip on backsode --- Continuous min/max temperature recording until thermometer shuts off or resets --- Temperature Range: -40°F to 311°F (-40°C to 155°C)



Model 11050 \$23.00 each

QuadTemp 2000 and OctTemp 2000



The QuadTemp 2000 is a four channel and the OctTemp is an eight channel thermocouple data logger with an LCD. The device features onscreen minimum, maximum and average statistics, as well as a user configurable graphics screen that allows for any combination of channels to be displayed. The device accepts J, K, T, E, R, S, B and N type thermocouples. It is ideal for a variety of applications, whether it is remote temperature monitoring, or multiple points in a central location. Data from all channels is simultaneously logged and displayed onscreen for real-time monitoring. It can then be downloaded to a PC for further analysis.

QuadTemp 2000 \$650.00 each

OctTemp 2000 \$1,000.00 each

*IFC200 LogMaster software, manual and USB interface
cable \$115.00 each*

*IFC110 LogMaster - PC Serial Interface & Software for
Standard LogMaster Loggers \$95.00 each*

Local:
(503) 654-9620

Fax:
(503) 654-9670

E-mail:
info@cal-cert.com

Office Hours:
8AM-4:30PM (PST)
Monday -Thursday
8AM-2:30PM
Friday

We Accept



LogTag Transit Recorders



Record temperature data for easy download to your PC with the new Logtag temperature logger. Program a start time or simply press start on the logger and record up to 8,000 readings (16,000 with TW-TRIX-16) with date and time stamp for quick download to your PC.

With a built-in alarm indicator you can quickly see if an alarm condition exists during your recording session. With an IP65 waterproof rating, and at about the size of a credit card, these handy loggers can record temperatures from -40 to 185°F in the harshest environments.

During logging sessions inspection marks can be created at the press of a button. The software displays the inspection marks, and summary data is created for data recorded between marks. Download data with high speed via USB interface cradle which includes Logtag Analyzer software. The software supports displaying and printing data in chart, list, and summary form and allows multiple charts to be overlaid for comparison.

The LogTag Humidity & Temperature Recorder (HAXO-8) measures and stores up to 8,000 sets of high resolution humidity and temperature readings over 0 to 100%RH & -40°C to +85°C (-40°F to +185°F) measurement ranges.

*TRIX-8 LogTag Transit Logger \$34.00
each*

*TW-TRIX-16 LogTag Transit Logger, \$38.00 each
extended memory (16,000 readings)*

*HAXO-8 LogTag Transit Logger, \$69.00 each
Temp & Humidity*

*LTI/USB LogTag USB Interface \$60.00 each
Cradle / Software*